

HEALTH 2 FLAMMABILITY 3 REACTIVITY 0

Section 1: IDENTIFICATION

Product Name: 2,6-Nonadienol 5% in Ethyl Acetate, Natural

Product Number: 0278005

CAS-No.: 28069-72-9/141-78-6

Recommended Use: Flavorings

Manufacturer: Aurochemicals

7 Nicoll Street

Washingtonville, NY 10992 - USA

845-496-6065 845-496-6248 Fax

Emergency Telephone No.: 1-800-535-5053

(International 1-352-323-3500 collect)

Section 2: HAZARD(s) IDENTIFICATION

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Hazard Statement:

H225 Highly flammable liquid and vapor

H315 Causes skin irritation.
H319 Causes serious eye irritation
H336 May cause drowsiness or dizziness

Pictogram or written description



Signal Word:

Precautionary Statement (s)

P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking

Printed: August 3, 2022

P233 Keep container tightly closed

P240 Ground/bond container and receiving equipment

P241 Use explosion proof electrical/ventilation/lighting equipment

P242 Use only non-sparking tools

P243 Take precautionary measures against static discharge

P261 Avoid breathing mist or vapor

P264 Wash thoroughly after handling



P271 Use only outdoors or in a well-ventilated area

P280 Wear protective gloves/Eye protection/face protection

P381 Eliminate all ignition sources if safe to do so

P303+P361+P353 IF ON SKIN (or hair) Remove immediately all contaminated clothing. Rinse skin with

water/shower

P304+P340 **IF INHALED**: Remove victim to fresh air and keep at rest in a comfortable position for

breathing

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if

present and easy to do. Continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell

P337-P313 If eye irritation persists – get medical advice/attention
P370+P378 In case of fire: Use appropriate media for extinction
P403-P333 Store in well west letted place. Keep container tightly all

P403+P233 Store in well ventilated place. Keep container tightly closed

P403+P235 Store in a well ventilated place. Keep cool

P405 Sore locked up

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations

Hazards not otherwise classified (HNOC) Static accumulating flammable liquid

Supplemental information Hazard Statement Static accumulating flammable liquid can become electrostatically charged even in bonded

and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or

explosion

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name 2-trans, cis-6-Nonadienol 5% / Ethyl Acetate 95%

Common Name: Cucumber alcohol/Ethyl Acetate

Synonyms: Cucumber alcohol; Ethyl Ester of Acetic Acid

CAS # 28069-72-9/141-78-6

Molecular Formula C₉H₁₆O

Section 4: FIRST AID MEASURES

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for

breathing. Call a physician if symptoms develop or persist

Skin Contact Remove contaminated clothing. Wash skin with cool water then with mild soap and warm

water for several minutes. Get medical attention if irritation develops or persists

Eye Contact Remove contact lenses if present and easy to do. Promptly wash eyes with plenty of

water, lifting eye lids as you rinse. Get medical attention if irritation develops or persists.

Ingestion Call a physician or poison control center immediately. If swallowed, rinse mouth with

water, (only if person is conscious). Do not induce vomiting. If vomiting occurs, the head

Printed: August 3, 2022

should be kept low so the stomach vomit does not enter the lungs.

Symptoms of Exposure Irritation of eyes and mucous membranes. Vapors have a narcotic effect and may cause

headache, fatigue, dizziness and nausea.



Clothing: Remove contaminated clothing and wash before re-use

General Information Make sure the attending physician is shown the label of the product as well as the Safety

Data Sheet

Section 5: FIREFIGHTING MEASURES

Extinguishing Media Water spray, fog, Co2, Dry chemical or alcohol resistant foam

Do not use a solid water stream as it may scatter and spread the fire

Special Firefighting Procedures: Do not stay in danger zone without self contained breathing apparatus

Prevent fire-fighting water from entering surface or ground water

Use water spray to cool unopened containers

Special Risks Highly flammable. Vapors heavier than air. Vapors may travel considerable distance to

source of ignition and flash back.

Container explosion may occur under fire conditions.

Forms explosive mixtures in air

Development of hazardous combustion gases or vapors possible in the event of fire -

ethanol, acetic acid

Section 6: ACCIDENTAL RELEASE MEASURES

Person-related precautionary measures Do not inhale vapors, Ensure supply of fresh air in enclosed rooms

Wear respirator, safety glasses, and chemical resistant gloves. Do not touch damaged

containers or spilled material unless wearing protective equipment

Environmental-protected measures Do not allow to enter drains, or sewage system, avoid release into the environment

Procedures for cleaning / absorption With absorbent, sweep up and discard in container, set out for disposal.

Ventilate area After sweep up, wash area and ventilate area well

Section 7: HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Do not handle or store near open flame, heat

or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor.

Avoid prolonged exposure. Wash hands thoroughly after handling

Storage: Open slowly in order to control possible pressure release. Store tightly closed, in cool, dry

well ventilated place - no smoking. Protect from moisture.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits:		Contains substances with Occupational Exposure Limits				
Chemical	mical CAS# Value Control Parameters			Basis		
Ethyl Acetate	141-78-6	PEL	1400 mg/m3 400 ppm	US. OHSA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)		



Ethyl Acetate	141-78-6	TWA	400 ppm	US. ACGIH Threshold Limit Values				
Ethyl Acetate	141-48-6	REL	1400 mg.m3 400 ppm	US. NIOSH Pocket Guide to Chemical Hazards				

Personal Protective Equipment: These recommendations are advisory only and must be evaluated by an industrial hygienist

and safety officer familiar with the specific situation of anticipated use by our customers. They

should not be construed as offering an approval for any specific use scenario.

Body Protection: Protective clothing should be selected specifically for the work place, depending on concentration and

quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals

should be ascertained with the respective supplier

Respiratory Protection: Required when vapors / aerosols are generated

Full face chemical respirator with organic vapor cartridges

Eye Protection: Wear eye and face protection – Face Shield – Avoid contact with eyes

Hand Protection: Wear chemically resistant gloves

Industrial Hygiene: Handle in accordance with good industrial hygiene and safety practice. Wash hands after working

with product

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless viscous liquid
Odor: Green vegetable, cucumber

Boiling Point: 78°C
Flashpoint: - 4°C
Melting Point: N/A
Ignition temperature N/A

Oxidizing Properties: Not oxidizing; flammable

Lower Explosion Limit
Upper Explosion Limit
Vapor Pressure:
Specific Gravity @ 25°C:

2.1 vol%
11.5 vol %
97 hPa
0.885-0.900

Solubility Insoluble in water; soluble in ethanol

Section 10: STABILITY AND REACTIVITY

Conditions to be avoided Heating

Substances to be avoided Alkali metals, fluorine, hydrides, strong oxidizing agents

Hazardous decomposition products: formed under fire conditions – ethanol, acetic acid

Further information Light sensitive; sensitive to air; unsuitable working materials: various plastics.

Explosible with air in a vaporous/gaseous state

Section 11: TOXICOLOGICAL INFORMATION

Printed: August 3, 2022



LD50, Oral Rat

LC50 Inhalation Rat

LD50 Dermal Rabbit

EYE-HMN

Reproductive Toxicity

11.3 ml/kg

1600 ppm (v) /6 h

>18000 mg/kg

400 ppm

No data available

Potential Health Effects (Accute

Effects)

Skin corrosion/irritation No data available

Serious eye damage/eye irritation Causes serious eye irritation

Respiratory sensitization
Skin sensitization
Germ cell mutagenicity
No data available
No data available

Carcinogenicity Not considered to be carcinogen by IARC, ACGIH, NTP or OSHA

Reproductive toxicity No data available

Specific target organ Toxicity-single May cause irritation to the respiratory system – Narcotic effect

exposure (GHS)

Specific target organ toxicity- No data available

repeated exposure (GHS)

Aspiration hazard No data available

Prolonged exposure can cause: Nausea, headache and vomiting, narcotic effect, anemia

Target Organs Liver, Kidney, Central nervous system, Blood

RTECS# AH5425000

Only a selected registry of toxic effects of chemicals substances data is represented here. See actual entry in RTECS for complete

information.

Section 12: ECOLOGICAL INFORMATION

Ecotoxic effects

Aquatic Fish: LC50 Indian catfish (Heteropneustes fossilis 200.32-225.42 mg/l 96h

Further ecological data

Do not allow to enter water, drain or soil

Section 13: DISPOSAL CONSIDERATIONS

Product: According to local regulations
Packaging: According to local regulations

Section 14: TRANSPORT INFORMATION

DOT (US) UN1173; Class 3; Packing Group II

Proper Shipping Name 2,6-Nonadienal Ethyl Acetate Solution; Flammable liquid; n.o.s.

Reportable Quantity (RQ) 500lbs Poison Inhalation Hazard: No

IMDG-Classification UN1173; Class 3; Packing Group II EMS-No: F-E, S-D Proper Shipping Name 2,6-Nonadienal Ethyl Acetate Solution; Flammable liquid; n.o.s.

IATA-Classification UN1173; Class 3; Packing Group II

Proper Shipping Name 2,6-Nonadienal Ethyl Acetate Solution; Flammable liquid; n.o.s.

Section 15: REGULATORY INFORMATION

Printed: August 3, 2022



SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III,

Section 302

SARA 311/312 Hazards Fire Hazard, Acute Health Hazard, Chronic Health Hazard

SARA 313 Components This material does not contain any chemical components with known CAS numbers that

exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section

313.

Section 16: OTHER INFORMATION

Aurochemicals provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. Aurochemicals makes no representations or warranties, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Aurochemicals will not be responsible, nor held liable, for damages resulting from use of or reliance upon this information.

Issued by:					Contact Person:
Aurochemicals					Deo N. Persaud
7 Nicoll Street				Revised Date:	8/3/2022
Washingtonville, NY 10992 USA		V			

Printed: August 3, 2022